



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/717,334	11/22/2000	Essam Sourour	P12508-US1-SC	9472

26615 7590 11/07/2003

HARRITY & SNYDER, LLP
11240 WAPLES MILL ROAD
SUITE 300
FAIRFAX, VA 22030

EXAMINER

GANTT, ALAN T

ART UNIT	PAPER NUMBER
----------	--------------

2684

DATE MAILED: 11/07/2003

4.

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/717,334

Applicant(s)

SOUROUR, ESSAM

Examiner

Alan T. Gantt

Art Unit

2684

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 November 2000.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 3.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-5 are rejected under 35 U.S.C. 102(b) as being anticipated by Bruckert et al.

Regarding claim 1, Bruckert discloses a method for controlling transmission power of signals transmitted between first and second radio communication devices, that comprises:

estimating a quality of signals transmitted from the first radio communication device to the second radio communication device during a first power control group period (col. 6, line 62 to col. 7, line 5 [the estimating of the value of the power control bit between the first terminal and the second terminal. Being the base station, and the second terminal, being the mobile station, is related to of the quality of the signal]);

determining at least one power control bit based on the estimated signal quality (col. 6, line 62 to col. 7, line 5 and col. 7, line 62 to col. 3, line 20) ;

transmitting the at least one power control bit from the second radio communication device to the first radio communication device during the first power control group period (col. 5, lines 3-59);

receiving the at least one power control bit at the first radio communication device (col. 6, lines 45-61); and

modifying transmission power of signals transmitted from the first radio communication device to the second radio communication based on the at least one power control bit at commencement of a second power control group period (col. 6, lines 45-61).

Regarding claim 2, Bruckert meets the limitation, “the method of claim 1, wherein the quality of the signals is estimated over a first time period” (col. 5, lines 41-59).

Regarding claim 3, Bruckert meets the limitation, “The method of claim 2, wherein the first time period is less than the first power control group period” (col. 5, line 60 to col. 6, line 4 [1.25 ms is taken as the power group period and $T_{sub.measure}$ is less than or equal to $1.25 \cdot T_{sub.adv}$, which will be less than the power group period in the vast majority of cases]).

Regarding claim 4, Bruckert meets the limitation, “The method of claim 3, wherein the first time period $\leq T - A_t$, where A_t comprises at least a reverse link propagation delay (col. 5, line 3 to col. 6, line 4 [this equation for the first time period that takes into account the reverse link propagation delay is the same as the $T_{sub.measure}$ equation discussed above for claim 3]).

Regarding claim 5, Bruckert meets the limitation, “The method of claim 1, wherein a first power control group associated with the first power control group period comprises a number of symbols (col. 5, lines 9-20).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chheda et al., in view of Moriya et al.

Regarding claim 6, Chheda discloses a method of facilitating forward link power control process that uses that uses the mobile station's speed as a decision maker for a power control process that switches between forward power control and fast forward power control (col. 2, lines 55-65).

selecting either a first process or a second process based on the estimated Doppler frequency (col. 2, lines 1-8 and 55-65); and

determining a power control bit for controlling forward link power using the selected process (col. 4, lines 18-22).

Chheda discusses speed of mobile station and does not discuss estimating a Doppler frequency.

Moriya discloses a CDMA reception apparatus capable of reducing consumed power. Moriya is relied upon for a teaching relating speed to Doppler frequency shift and consequently estimating a propagation channel Doppler frequency (col. 7, lines 49-58).

Chheda and Moriya are combinable because they share a common endeavor, namely CDMA receivers that detect moving speed of mobile station. At the time of the applicant's

Art Unit: 2684

invention it would have been obvious to modify Chheda to include a correlation between moving speed of the mobile station and a Doppler frequency as done by Moriya in order to allow working in the Doppler frequency frame of reference.

Regarding claim 7, Chheda meets the limitations -The method of claim 6, wherein the first process comprises:

estimating signal quality of a forward link during a first power control group, the first power control group associated with a first power control group period (col. 3, lines 46-50)

wherein the signal quality of the forward link is estimated over a first time period and wherein the first time period is less than the first power group period (col. 4, lines 13-32); and

determining the power control bit based on the estimated signal quality (col. 4, lines 18-22 and 39-55).

Regarding claim 8, the examiner takes Official notice that it is well known to include a reverse link propagation delay and that it would have been obvious to modify Chheda and Moriya to include the reverse propagation delay as this is done to determine a value of the long code for calculating the power control bit location within the next power group.

Regarding claim 9, The method of claim 6, wherein the second process comprises: estimating signal quality of a forward link during a first power control group, the first power control group associated with a first power control group period (col. 3, lines 46-50 and 51-65 [the once per frame indicates the power control bit change only once during the PCG period]),

wherein the signal quality of the forward link is estimated over a first time period and wherein the first time period is substantially equal to first power control group (col. 3, lines 46-

50 and 51-65 [the once per frame indicates the power control bit change only once during the PCG period]); and

determining the power control bit based on the estimated signal quality (col. 4, lines 18-22).

5. Claims 10-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sorokine, in view of Tiedemann, Jr. et al.

Regarding claim 10, Sorokine discloses a method for detecting finger merge condition in a CDMA receiver and facilitates forward link power control (paragraphs 64-67), comprising:

Sorokine includes a means of estimating signal quality of a forward link during a first power control group period (paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms-same as first power group period for Bruckert above]);

Sorokine also provides for determining at least one power control bit based on the estimated signal quality (paragraph 66 [up or down command equivalent to a power control bit]; and

Sorokine also provides for transmitting the at least one power control bit on a reverse link during the first power control group period (paragraph 67 [power up or down command conveyed to base station]).

Sorokine does not utilize power control group periods or power control bit.

Tiedemann discloses a forward link power mechanism that measures the reverse link power control bits transmitted on the forward traffic channel. Tiedemann is utilized here to show

that CDMA systems make use of power control group period and power control bits (col. 6, lines 22-37 and col. 1, lines 11-55).

Sorokine and Tiedemann are combinable because they share a common endeavor, namely, apparatuses for forward link power control. At the time of the applicant's invention it would have been obvious to modify Sorokine to make use of power control group period and power control bits as done by Tiedemann to be more in line with conventional definitions and terminology.

Regarding claim 15, Sorokine discloses a communication device that meets the following limitations: a signal quality estimation device that estimates signal quality of a forward link using a first power control group transmitted during a first power control group period (paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms-same as first power group period for Bruckert above]); and

a processing unit that determines at least one power control bit based on the estimated signal quality (paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms-same as first power group period for Bruckert above]);

and transmits the at least one power control bit on a reverse link during the first power control group period (paragraph 67 [power up or down command conveyed to base station]). Sorokine does not utilize power control group periods or power control bit.

Tiedemann discloses a forward link power mechanism that measures the reverse link power control bits transmitted on the forward traffic channel. Tiedemann is utilized here to show

Art Unit: 2684

that CDMA systems make use of power control group period and power control bits (col. 6, lines 22-37 and col. 1, lines 11-55).

Sorokine and Tiedemann are combinable because they share a common endeavor, namely, apparatuses for forward link power control. At the time of the applicant's invention it would have been obvious to modify Sorokine to make use of power control group period and power control bits as done by Tiedemann to be more in line with conventional definitions and terminology.

Regarding claim 20, Sorokine discloses a technique that requires a computer readable medium containing instructions for controlling at least one processing unit to perform a method of facilitating forward link power control where the method includes the following limitations:

initiating estimation of signal quality of a forward link during a first power control group period (paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms- same as first power group period for Bruckert above]);;

determining at least one power control bit based on the estimated signal quality (paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms same as first power group period for Bruckert above]); and

initiating transmission of the at least one power control bit on a reverse link during the first power control group period (paragraph 67 [power up or down command conveyed to base station]).

Sorokine does not utilize power control group periods or power control bit.

Tiedemann discloses a forward link power mechanism that measures the reverse link power control bits transmitted on the forward traffic channel. Tiedemann is utilized here to show that CDMA systems make use of power control group period and power control bits (col. 6, lines 22-37 and col. 1, lines 11-55).

Sorokine and Tiedemann are combinable because they share a common endeavor, namely, apparatuses for forward link power control. At the time of the applicant's invention it would have been obvious to modify Sorokine to make use of power control group period and power control bits as done by Tiedemann to be more in line with conventional definitions and terminology.

Regarding claim 21, Sorokine discloses a method of controlling forward link power, comprising:

estimating signal quality of a forward link during a first power control group period ((paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms-same as first power group period for Bruckert above]));

determining at least one power control bit based on the estimated signal quality (paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms-same as first power group period for Bruckert above]);

transmitting the at least one power control bit on a reverse link during the first power control group period (paragraph 67 [power up or down command conveyed to base station]);

receiving the at least one power control bit on the reverse link (paragraph 67 [power up or down command conveyed to base station]); and

modifying forward link power based on the at least one power control bit at commencement of a second power control group period (paragraph 67 [power up or down command conveyed to base station]).

Sorokine does not utilize power control group periods or power control bit.

Tiedemann discloses a forward link power mechanism that measures the reverse link power control bits transmitted on the forward traffic channel. Tiedemann is utilized here to show that CDMA systems make use of power control group period and power control bits (col. 6, lines 22-37 and col. 1, lines 11-55).

Sorokine and Tiedemann are combinable because they share a common endeavor, namely, apparatuses for forward link power control. At the time of the applicant's invention it would have been obvious to modify Sorokine to make use of power control group period and power control bits as done by Tiedemann to be more in line with conventional definitions and terminology.

Regarding claim 26, A communication system, comprising:

a mobile terminal that estimates signal quality of a forward link during a first power control group period ((paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms-same as first power group period for Bruckert above])),

determines at least one power control bit based on the estimated signal quality (paragraph 65 [estimating the received E_b/N_t during a given interval typically 1.25 ms-same as first power group period for Bruckert above]),

transmits the at least one power control bit on a reverse link during the first

power control group period (paragraph 67 [power up or down command conveyed to base station]) and

a base station that receives the at least one power control bit on the reverse link(paragraph 67 [power up or down command conveyed to base station]), and

modifies forward link power based on the at least one power control bit at commencement of a second power control group period (paragraph 67 [power up or down command conveyed to base station]).

Sorokine does not utilize power control group periods or power control bit.

Tiedemann discloses a forward link power mechanism that measures the reverse link power control bits transmitted on the forward traffic channel. Tiedemann is utilized here to show that CDMA systems make use of power control group period and power control bits (col. 6, lines 22-37 and col. 1, lines 11-55).

Sorokine and Tiedemann are combinable because they share a common endeavor, namely, apparatuses for forward link power control. At the time of the applicant's invention it would have been obvious to modify Sorokine to make use of power control group period and power control bits as done by Tiedemann to be more in line with conventional definitions and terminology.

Regarding claims 11, 16, 22, and 27, Sorokine meets the limitation, "wherein the signal quality of the forward link is estimated over a first time period" (paragraph 65).

Regarding claims 12, 17, 23, and 28, Sorokine meets the limitation, “wherein the first time period is less than the first power control group period (Sorokine suggests this limitation since the estimation of the received Eb/Nt occurs during the interval of length 1.25 ms-the length of a power control period-paragraph 65) .

Regarding claims 13, 18, 24, and 29, Tiedemann meets the limitation, “wherein the first time period test, $< -T$, - A_t , where A_t comprises at least a reverse link propagation delay (col. 15, lines 21-37).

Regarding claims 11, 17, 22, and 27, Tiedemann meets the limitation, “wherein a first power control group associated with the first power control group period comprises a number of symbols (col. 6, lines 46-65).

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Jalali et al. discloses a fast forward link power control apparatus in a CDMA system.

Any inquiry concerning this communication from the examiner should be addressed to Alan Gantt at telephone number (703) 305-0077. The examiner can normally be reached between 9:30 AM and 6 PM within the Eastern Time Zone. The group FAX number is (703) 872-9306.

Application/Control Number: 09/717,334

Page 13

Art Unit: 2684

Any inquiry of a general nature or relating to this application should be directed to the group receptionist at telephone number (703) 305-4700.

Alan T. Gantt
Alan T. Gantt

October 29, 2003

Mark Connor